COMMUNICATIONS S

Federal Communications Commission

Approved by OMB 3060-0999 See instructions for public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2017 - December 31, 2017 Filing Confirmation Number: 0008059754

Filing Deadline: January 16, 2018 FRN: 0008849838

Filing Date: 01/11/2018 05:04 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Pembroke Telephone Company Inc

Brand Names: PAC Mobile

PO Box: 10

Street Address: 185 E Bacon St City: Pembroke

State: GA Zip Code: 31321

Contact Name: Jean McCormick
Contact Phone: (912) 653-4389
Contact Fax: (912) 653-2929
Contact Email: jean@pemtelco.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)? N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.pemtelco.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Customers are advised as needed of handset at time of purchase.

Methodology for Functionality Levels

Smart phone functionality was basis for features. Cost of phone. Basic phone with larger buttons was basis for wase of use.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 21

| Air Interface | Fully Hearing Aid Compatible Number Percent | Acoustic Coupling Compatible Only Number Percent | Non-Compliant Handsets Number Percent | Total by Air Interface |
|------------------|---|--|---|---------------------------|
| CDMA | 21 100% | | | 21 |

Handset 1: Apple iPhone 6

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 6 BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz CDMA 1700 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 2: Apple iPhone 6 Plus

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 6 Plus BCG-E2817A

Air Interfaces/Frequency Bands

800 MHz CDMA 1700 MHz CDMA

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 3: Apple IPHONE 6S

Handset Maker

Apple

Handset Model Name FCC ID

IPHONE 6S BCG-E2946A

Air Interfaces/Frequency Bands

800 MHz CDMA 1700 MHz CDMA 1900 MHz CDMA 2100 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Handset 4: Apple IPHONE 6S PLUS

Handset Maker

Apple

Handset Model Name FCC ID

IPHONE 6S PLUS BCG-E2944A

Air Interfaces/Frequency Bands

850 MHz CDMA 1700 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 5: Apple iPhone 7

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 7 BCG-E3091A, BCG-E3085A

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 6: Apple iPhone 7 Plus

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 7 Plus BCG-E3087A, BCG-E3092A

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 7: Apple iPhone 8

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 8 BCG-E3159A, BCG-E3172A

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 09/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 8: Apple iPhone 8 Plus

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 8 Plus BCG-E3160A, BCG-E3174A

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 10/17 to 12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 9: Apple iPhone SE

Handset Maker

Apple

Handset Model Name FCC ID

iPhone SE BCG-E3042A, BCG-E2945A

Air Interfaces/Frequency Bands

850 MHz CDMA 1700 MHz CDMA 1900 MHz CDMA 2100 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Handset 10: HTC U11

Handset Maker

HTC

Handset Model Name FCC ID

U11 NM82PZC100, NM82PZC500

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 08/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 11: LG G6

Handset Maker

LG

Handset Model Name FCC ID

G6 ZNFH871, ZNFVS988, ZNFLS993, ZNFH870

Air Interfaces/Frequency Bands

700 MHz CDMA 2300 MHz CDMA 2600 MHz CDMA

Dates

This handset model was offered from: 05/17 to 12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 12: LG V20

Handset Maker

LG

Handset Model Name FCC ID

V20 ZNFH910, ZNFH918, ZNFVS995, ZNFLS997

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 13: Motorola G4 XT1625

Handset Maker

Motorola

Handset Model Name FCC ID

G4 XT1625 IHDT56VA5

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 14: Samsung Galaxy J3

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy J3 A3LSMJ320P, A3LSMJ320FN, A3LSMJ320R4, A3LSMJ320VPP

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 15: Samsung GALAXY J7

Handset Maker

Samsung

Handset Model Name FCC ID

GALAXY J7 A3LSMJ700P

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 16: Samsung GALAXY S6

Handset Maker

Samsung

Handset Model Name FCC ID

GALAXY S6 A3LSMG920F

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 17: Samsung GALAXY S6 EDGE

Handset Maker

Samsung

Handset Model Name FCC ID

GALAXY S6 EDGE A3LSMG925V, A3LSMG925P, A3LSMG925R4

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 08/17 to 12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 18: Samsung Galaxy S6 Edge Plus

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S6 Edge Plus A3LSMG928I

Air Interfaces/Frequency Bands

 $850~\mathrm{MHz}~\mathrm{CDMA}$

 $900~\mathrm{MHz}~\mathrm{CDMA}$

 $1800~\mathrm{MHz}~\mathrm{CDMA}$

1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Handset 19: Samsung Galaxy S7 Edge

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S7 Edge A3LSMG935F

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 20: Samsung Galaxy S8

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S8 A3LSMG950F, A3LSMG9500, A3LSMG950N

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 05/17 to 12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Remarks

Handset 21: Samsung Galaxy S8 Plus

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S8 Plus A3LSMG955U, A3LSMG955F, A3LSMG955N, A3LSMG9550

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

features

Certification

This Report has been certified by:

Jean McCormick President 01/11/2018 05:04 PM